

**Puget Sound EMF Testing**  
**360-471-3558**  
**www.pugetsoundemftesting.com**  
**Washington State License #602 865 392**

Name: \_\_\_\_\_  
 Street: \_\_\_\_\_  
 City/Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_

Location	Magnetic Field milligauss ( $\pm 3\%$ )	Microwave Power Density in $\mu\text{W}/\text{cm}^2$ ( $\pm 25\%$ )			
		Vertical	N-S	E-W	Total
<b>Kitchen</b>	5.4 west by oven	.004	.003	.004	0.011 center
<b>Microwave Oven</b>		0.7	2.7	0.9	4.3 @20" away
<b>Dining Room</b>	0.28 south	0.001	0.002	0.003	0.006 center
<b>Living Room</b>	N/A	N/A	N/A	N/A	N/A
<b>Study</b>	0.2 center	0.003	0.004	0.005	0.012 center
<b>Family Room</b>	0.2 center	0.005	0.014	0.004	0.023 center
<b>Bedroom #1</b> master downstairs	0.65 entry	0.003	0.003	0.003	0.009 center
<b>Bedroom #2</b> upstairs front (west)	0.3 center 0.4 switch	0.007	0.012	0.015	0.034 center
<b>Bedroom #3</b> upstairs back (east)	0.3 center	0.011	0.031	0.008	0.050 center
<b>Bedroom #4</b> full bath downstairs	0.2 center	0.002	0.003	0.002	0.007 center
<b>Other:</b> pantry	0.23 / 0.5 light on	0.003	0.003	0.003	0.009 center
<b>Other:</b> mud room	0.2	0.005	0.008	0.008	0.021 center
<b>Other:</b> Play room	0.38 crib	0.010	0.016	0.018	0.044 center
<b>Other:</b>					
<b>Back Yard</b>	0.2	0.012	0.012	0.012	0.036
<b>Front Yard</b>	0.2	0.012	0.012	0.012	0.036

**Notes:**

Dining rm dimmer sw 0.8 mG  
 Upstair bathrm fan 5.4 mG  
 Family rm dinner sw 1.04 mG  
 Bedroom TV 8 mG  
 Downstairs full bath 3.0 mG  
 near toiler with fan and light  
 on  
 Mud room light sw 1.5 mG  
 Dryer/Dryer 2.8 mG  
 Dishwasher 3.0 mG

Date: 10/14/2008  
 Time: 11:00 AM tp 12:00 PM

\_\_\_\_\_  
 Signature of Test Engineer